



07/13/00

TERRELL C. BIRCH
 RAYMOND C. STEWART
 JOSEPH A. KOLASCH
 JAMES M. SLATTERY
 BERNARD L. SWEENEY
 MICHAEL K. MUTTER
 CHARLES GORENSTEIN
 GERALD M. MURPHY, JR.
 LEONARD R. SVENSSON
 TERRY L. CLARK
 ANDREW D. MEIKLE
 MARC S. WEINER
 JOE MCKINNEY MUNCY
 ROBERT J. KENNEY
 DONALD J. DALEY
 JOHN W. BAILEY
 JOHN A. CASTELLANO, III
 GARY D. YACURA

OF COUNSEL
 HERBERT M. BIRCH (1905-1996)
 ELLIOT A. GOLOBERG
 WILLIAM L. GATES
 EDWARD H. VALANCE
 RUPERT J. BRADY (RET.)
 F. PRINCE BUTLER
 FRED S. WHISENANT

*ADMITTED TO A BAR OTHER THAN VA

BIRCH, STEWART, KOLASCH & BIRCH, LLP

INTELLECTUAL PROPERTY LAW
 8110 GATEHOUSE ROAD
 SUITE 500 EAST
 FALLS CHURCH, VA 22042-1210
 U S A
 (703) 205-8000

FAX. (703) 205-8050
 (703) 898-8590 (S IV)

e-mail: mailroom@bskb.com
 web: http://www.bskb.com

CALIFORNIA OFFICE:
 COSTA MESA, CALIFORNIA

THOMAS S. AUCHTERLONE
 JAMES T. ELLER, JR.
 SCOTT L. LOWE
 MARK J. KUELL, Ph.D.
 D. RICHARD ANDERSON
 PAUL C. LEWIS
 MARK W. MILSTEAD
 JOHN CAMPA
 RICHARD J. GALLAGHER
 REG. PATENT AGENTS
 FREDERICK R. HANDREN
 MARYANNE ARMSTRONG, Ph.D.
 MAXI HATSUJIM
 MIKE S. RYU
 CRAIG A. MAROBIE
 GARTH M. DAHLEN, Ph.D.
 LAURA C. LUTZ
 ROBERT E. GOOZNER, Ph.D.
 HYUNG N. SOHN
 MATTHEW J. LATTIC
 ALAN PEDERSEN-GILES
 JUSTIN D. KARJALA
 C. KEITH MONTGOMERY
 TIMOTHY R. WYCKOFF
 HERMES M. SOYEZ, Ph.D.
 KRISTL. RUPERT, Ph.D.

JC772 U.S. PTO
 09/16/03

Date: July 13, 2000Docket No.: 0630-1122P

Assistant Commissioner for Patents
 Box PATENT APPLICATION
 Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor(s): HOSHI, Kazuo

For: SOUND SPECIAL REPRODUCING METHOD AND INFORMATION
 REPRODUCING APPARATUS

Enclosed are:

X A specification consisting of 13 pagesX 02 sheet(s) of Formal drawings An assignment of the invention Certified copy of Priority Document(s)X Executed Declaration Original X Photocopy A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.27 Preliminary Amendment Information Disclosure Statement, PTO-1449 and reference(s)

Other _____

The filing fee has been calculated as shown below:

LARGE ENTITY				SMALL ENTITY			
FOR	NO. FILED	NO. EXTRA	RATE	FEE		RATE	FEE
BASIC FEE	*****	*****	*****			*****	
	*****	*****	*****	\$690.00	or	*****	\$345.00
	*****	*****	*****			*****	
TOTAL CLAIMS	5 - 20 =	0	x18 = \$	0.00	or	x 9 = \$	0.00
INDEPENDENT	2 - 3 =	0	x78 = \$	0.00	or	x 39 = \$	0.00
MULTIPLE DEPENDENT CLAIM PRESENTED <u>no</u>				+260 = \$	or	+130 = \$	0.00
TOTAL \$				690.00		TOTAL \$	0.00

X A check in the amount of \$ 690.00 to cover the filing fee and recording fee (if applicable) is enclosed.

— Please charge Deposit Account No. 02-2448 in the amount of \$ _____. A triplicate copy of this transmittal form is enclosed.

— No fee is enclosed.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. 1.16 or under 37 C.F.R. 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH, & BIRCH, LLP

By Joseph A. Kolasch #37275
 For JOSEPH A. KOLASCH
 Reg. No. 22,463
 P. O. Box 747
 Falls Church, Virginia 22040-0747

SOUND SPECIAL REPRODUCING METHOD AND INFORMATION REPRODUCING APPARATUS

BACKGROUND OF THE INVENTION

1 Field of the Invention

The present invention relates to an information reproducing apparatus for reading data from a recording medium having audio data and video data, and more particularly, to a special reproducing method for specially reproducing sound and an information reproducing apparatus

2 Description of the Background Art

Conventionally, in case of special reproduction, for example, double-speed reproduction, video tape recorders (VTR) or cassette tape recorders directly reproduce and output a sound with a frequency two times higher as compared to the normal reproduction

In addition, as other special reproducing method, a method for thinning reproduced sound is known. In this method, for example, in case of quadruple-speed reproduction, three-quarters of reproduced audio data is cut, and one-quarter thereof is reproduced and outputted

As seen from above, in the conventional special reproducing method of sound, in case of n -speed reproduction, reproduced sound frequency becomes n -times larger, or reproduced audio data becomes $1/n$ times smaller, as compared to the normal reproduction, so that the omission of audio data becomes large. Thus, there occurs a problem that the contents of the audio data become unclear, and

are hard to hear.

In addition, in an optical disk recording and reproducing apparatus for reading data from an optical disk, there is a problem that a method for specially reproducing sound is not established.

SUMMARY OF THE INVENTION

Accordingly, it is an object of the present invention to provide a special reproducing method of sound and an information reproducing apparatus capable of making it easy to understand the contents of sound during special reproduction.

In a special reproducing method of sound of the present invention, audio data read from a recording medium 1 is converted into text data by sound recognition during special reproduction, and the characters representing text data are displayed, being overlapped with special reproducing images

In addition, in one embodiment of the above-described special reproducing method of sound, the contents of a sound for n -seconds recorded on the recording medium are displayed for one second during special reproduction, that is, n -speed reproduction (n is a positive real number larger than 1.)

In addition, in an information reproducing apparatus of the present invention, audio data read out from the recording medium 1 is converted into text data by sound recognition during special reproduction, and the characters representing the text data are displayed, being overlapped with special reproducing images displayed on a display device.

In addition, one embodiment of the above-described information reproducing apparatus includes: reading units 2 through 9 for reading out audio

data and video data from a recording medium; display units 10 through 12 and 14 for displaying reproduced images based on video data on a display device, a conversion unit 13 for converting audio data by sound recognition and displaying the characters representing the text data, being overlapped with the reproduced images; and a control unit 15 for instructing the reading units, display units, and conversion units to perform a special reproduction according to a special reproduction request from the outside

In addition, It is another object of the present invention to provide an information reproducing apparatus and method for converting at least parts of audio data read out from the recording medium into a visually recognizable form, and displaying them

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will become better understood with reference to the accompanying drawings which are given only by way of illustration and thus are not limitative of the present invention, wherein:

Figure 1 is a block diagram showing one embodiment of an optical disk recording apparatus of the present invention; and

Figure 2 is a block diagram of a sound recognition text conversion circuit.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The embodiment of the present invention will now be described with reference to the accompanying drawings. Figure 1 is a block diagram of an optical

disk recording and reproducing apparatus in accordance with the embodiment of the present invention

The optical disk recording and reproducing apparatus of Figure 1 includes: an optical disk which is a recording medium having audio data and video data; a motor 2 for rotating the optical disk 1; an optical pickup 3 for reading out data recorded on the optical disk 1; a RF signal amplification circuit 4 for amplifying signals obtained from the optical pickup 3; a digital signal processing circuit 5 for demodulating the signals from the RF signal amplification circuit 4 and performing error correction; a tracking/focus servo control circuit 6 for positioning a laser spot irradiated from the optical pickup 3 to the optical disk 1 in a radial direction and in a vertical direction; a MPEG (Moving Picture Experts Group) multiple separation circuit 7 for separating digital data into audio data and video data, a MPEG audio decoder 8 for decoding audio data; a MPEG video decoder 9 for decoding video data, an image signal processing circuit 10 for performing a signal processing for special reproduction with respect to decoded video data, a D/A converter 11 for D/A converting video data outputted from the image signal processing circuit 10, a NTSC video encoder 12 for converting analog video signals into NTSC video signals, a sound recognition text conversion circuit 13 for converting decoded audio data into text data by sound recognition; an on-screen character processor 14 for generating video signals displayed by overlapping the characters representing text data with the NTSC reproduced images; a system controller 15 for controlling the entire optical disk recording and reproducing apparatus; and an input device for instructing the optical disk recording and reproducing apparatus by the user.

Next, the operation of the thusly constructed optical disk recording and reproducing apparatus during the normal reproduction will now be described. In

the system controller 15 of the optical disk recording and reproducing apparatus, when the optical disk 1 is loaded within the apparatus, the optical disk 1 is rotated by the motor 2.

The optical pickup 3 irradiates laser light for reproduction to the optical disk 1 according to the control of the system controller 15, and detects reflected light from the optical disk 1. In addition, the optical pickup 3 can move to the radial direction of the optical disk 1 by a driving unit (not shown) controlled by the system controller 15.

The signals obtained from the optical pickup 3 are amplified in the RF signal amplification circuit 4, and are inputted to the digital signal processing circuit 5.

Since the data recorded on the optical disk 1 is modulated in a modulation mode such as 8/16 modulation, and the digital signal processing circuit 5 demodulates signals inputted from the RF signal amplification circuit 4 and perform an error correction of the demodulated data.

In addition, the digital signal processing circuit 5 generates a laser spot irradiated to the optical disk 1 and a tracking error signal representing a position error in the disk radial direction of the optical disk 1, and at the same time generates a laser spot and a focus error signal representing a position error in the disk vertical direction of the optical disk 1 according to the signal inputted from the RF signal amplification circuit, for thereby outputting these signals to the tracking/focus servo control circuit 6.

The tracking/focus servo control circuit 6 positions the laser spot in the disk radial direction by driving the optical pickup 3, and at the same time in the disk vertical direction. Namely, the tracking/focus servo control circuit 6 makes the laser spot follow the track which is the target of the optical disk 1 according to the tracking error signal, and makes the laser spot to follow the recording layer which

is the target of the optical disk 1 according to the focus error signal

Next, the MPEG multiple separation circuit 7 separates digital data (MPEG multiple stream in which audio packets and video packet are multiplied) outputted from the digital signal processing circuit 5 into audio data (MPEG audio stream in which audio packets are bound) and video data (MPEG video stream in which video packets are bound).

In this embodiment, the audio data and video data recorded on the optical disk 1 are coded in the MPEG method

The MPEG audio decoder 8 demodulates the MPEG audio stream coded in the MPEG method

Meanwhile, the MPEG video decoder 9 demodulates the MPEG audio stream coded in the MPEG mode. In case of 8ucl pt, the image signal processing circuit 10 directly outputs a video data outputted from the MPEG video decoder 9

Continuously, the D/A converter 11 converts a the video data outputted from the image signal processing circuit 10 into video signals, and the NTSC video encoder 12 outputs the analog video signal into NTSC video signals.

In this way, the NTSC video signals are outputted to a display device (not shown) through the on-screen character processor 14, and reproduced images are thereby displayed on the screen of the display device

Meanwhile, the sound recognition text conversion circuit 13 converts the audio data outputted from the MPEG audio decoder 8 into text data (character data).

Figure 2 is a block diagram of the sound recognition text conversion circuit 13. The sound recognition text conversion circuit 13 includes a first memory 30, a data analysis processing unit 31, a second memory 32, a data table 33, and a data conversion processing unit 34.

The audio data outputted from the MPEG audio decoder 8 is once stored in the first memory 32

Speed-change information representing how fast the optical disk 1 is reproduced is inputted from the system controller 15 into the data analysis processing unit 31, data table 33, and data conversion processing unit 34

The data analysis processing unit 31 analyzes the audio data stored in the memory 30 according to the above speed-change information (in case of the normal reproduction performed at a single speed), and cuts the audio data with a frequency higher than 10kHz. Continually, the data analysis processing unit 31 cuts the audio data less than -20dB among the audio data stored in the memory 30 when the maximum sound volume is 0dB.

The above process by the data analysis processing unit 31 is performed in order to improve the accuracy of sound recognition by suppressing unnecessary noise in the sound recognition.

The audio data processed by the data analysis processing unit 31 is send to the data conversion processing unit 34, and is once stored in the second memory 32

In the data table 33, text data and the corresponding audio data are registered. This registration is carried out for every characters (A, B, C, D, E ...)

The data conversion processing unit 34 integrates the timing of the audio data stored in the memory 32 with the timing of the audio data stored in the data table 33, and searches audio data nearest to the audio data stored in the memory 32 by comparing them. And, the data conversion processing unit 34 receives text data corresponding to the resultant data from the data table 33, and then outputs the same

In this manner, the audio data outputted from the MPEG audio decoder 8 is

converted into text data

The on-screen character processor 14 generates video signals from the NTSC video encoder 12, and video signals in which the characters representing text data are overlapped with reproduced images, according to the text data from the sound recognition text conversion circuit 13.

Thusly, reproduced sound is displayed in the form of characters on the screen of the display device (not shown).

In the optical disk recording and reproducing apparatus above described, when the user requests special reproduction by operating the input device 16, the system controller 15 instructs each construction of the optical disk recording and reproducing apparatus to perform a special reproduction.

Due to this, special reproduced images are displayed on the screen of the display device (not shown), and at the same time the characters representing the contents of sound are displayed, being overlapped with the special reproduced images

At this time, in case of n -speed reproduction (n is a positive real number larger than 1, e.g. 2-speed through 10-speed), the rotation speed of the motor 2 becomes n -times larger than as compared to the normal reproduction. Thus, the image signal processing circuit 10 processes video data so that the first one-second contents among the contents of images for n -seconds recorded on the optical disk 1 are extracted and the rest contents are removed, and outputs the same to the D/A converter 11.

In this way, the contents of images for n -seconds recorded on the optical disk 1 are displayed for one second.

In addition, in case of n -speed reproduction, the contents of sound for n -seconds recorded on the optical disk 1 are displayed for one second. Also, in this

case, the operation of the sound recognition text conversion circuit 13 is performed in the same way as the normal reproduction. The data conversion processing 34 integrates the timing of the audio data stored in the memory 32 with the timing of the audio data stored in the data table 33, compares them, and then converts them into text data. Here, it is possible to reproduce the corresponding I-picture for a predetermined time according to the reproduction speed, and to convert the corresponding sound part into a visually recognizable form and display the same.

In addition, in this embodiment, although the NTSC standards is described as an example, the PAL standards are also possible. In case of the PAL standards, a PAL video encoder is prepared in place of the NTSC video encoder 12, and analog signals from the D/A converter 11 are converted into PAL video signals in this PAL video encoder.

As the present invention may be embodied in several forms without departing from the spirit or essential characteristics thereof, it should also be understood that the above-described embodiments are not limited by any of the details of the foregoing description, unless otherwise specified, but rather should be construed broadly within its spirit and scope as defined in the appended claims, and therefore all changes and modifications that fall within the meets and bounds of the claims, or equivalences of such meets and bounds are therefore intended to be embraced by the appended claims.

In accordance with the present invention, at least parts of the audio data read out from the recording medium during special reproduction are converted into a visually recognizable form, and are displayed being overlapped with special reproduced images, whereby it is possible to easily understand the contents of reproduced images that are hard to understand in the conventional method. In addition, when the present invention is applied to the optical disk recording

apparatus, it is possible to implement the special reproducing method of sound in the optical reproducing apparatus.

00545313-07-1300

What is claimed is

1 In a special reproducing method for specially reproducing sound by using an information reproducing apparatus for reading out data from a recording medium having audio data and video data, a special reproducing method of sound, characterized in that: the audio data read out from a recording medium during special reproduction is converted into text data by sound recognition, and the characters representing text data are displayed, being overlapped with special reproduced images

10

2 The method of claim 1, wherein, during special reproduction performed at n -speed (n is a positive real number larger than 1), the contents of sound for n -seconds recorded on the recording medium are displayed for one second

15

3 In an information reproducing apparatus for reading out data from a recording medium having audio data and video data, an information reproducing apparatus, characterized in that: the audio data read out from a recording medium during special reproduction is converted into text data by sound recognition, and the characters representing text data are displayed, being overlapped with special reproduced images displayed in a display device.

20

4 The apparatus of claim 3, wherein the information reproducing apparatus comprises

25

reading means for reading out audio data and video data from a recording

medium;

display means for displaying reproduced images based on video data on the display device,

3 a conversion means for converting audio data into text data by sound recognition, and displaying the characters representing text data, being overlapped with the reproduced images, and

a control means for instructing the reading means, display means, and conversion means to perform a special reproduction according to the request for special reproduction from the outside.

10

5. The apparatus of claim 3, wherein, during special reproduction performed at n -speed (n is a positive real number larger than 1), the contents of sound for n -seconds recorded on the recording medium are displayed for one second.

15

ABSTRACT OF THE DISCLOSURE

The present invention relates to a method and apparatus for making it easy to understand the contents of sound during special reproduction. Herein, the MPEG multiple separation circuit separates digital data read out from the optical disk into audio data and video data, the sound recognition text conversion circuit converts audio data decoded in the MPEG audio decoder into text data by sound recognition, and the on-screen character processor generates video signals in which the characters representing text data are displayed, being overlapped with reproduced images. In case of special reproduction such as double-speed reproduction, the characters representing text data are displayed, being overlapped with special reproduced images.

FIG. 1





FIG. 2



PLEASE NOTE:
YOU MUST
COMPLETE THE
FOLLOWING:

COMBINED DECLARATION AND POWER OF ATTORNEY

ATTORNEY DOCUMENT NO.

630-1122P

FOR PATENT AND DESIGN APPLICATIONS

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated next to my name; that I verily believe that I am the original, first and sole inventor (if only one inventor is named below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SOUND, SPECIAL, REPRODUCING METHOD AND INFORMATION REPRODUCING APPARATUS

Insert Title

Fill in Appropriate
Information -
For Use Without
Specification
Attached

the specification of which is attached hereto. If not attached hereto,

the specification was filed on _____ as
United States Application Number _____, and / or

the specification was filed on _____ as PCT
International Application Number _____ and was
amended under PCT Article 19 on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations, §1.56.

I do not know and do not believe the same was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months (six months for designs) prior to this application, and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by me or my legal representatives or assigns, except as follows.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Insert Priority
Information
(if appropriate)

Prior Foreign Application(s)

11-198485

Japan

07/13/1999

Priority Claimed

(Number)	(Country)	(Month/Day/Year Filed)
(Number)	(Country)	(Month/Day/Year Filed)
(Number)	(Country)	(Month/Day/Year Filed)
(Number)	(Country)	(Month/Day/Year Filed)
(Number)	(Country)	(Month/Day/Year Filed)

☒ Yes ☐ No
☐ Yes ☐ No
☐ Yes ☐ No
☐ Yes ☐ No
☐ Yes ☐ No

I hereby claim the benefit under Title 35, United States Code, §119(c) of any United States provisional application(s) listed below.

Insert Provisional
Application(s)
(if any)

Application Number	Filing Date
Application Number	Filing Date

All Foreign Applications, if any, for any Patent or Inventor's Certificate Filed More Than 12 Months (6 Months for Designs) Prior To The Filing Date of This Application.

Insert Required
Information
(if appropriate)

Country	Application No.	Date of Filing (Month/Day/Year)
---------	-----------------	---------------------------------

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available before the filing date of the prior application and the national or PCT international filing date of this application.

Insert Prior U.S.
Applications
(if any)

Application Number	Filing Date	Date of Patent or Inventor's Certificate
Application Number	Filing Date	Date of Patent or Inventor's Certificate

and in connection with the resulting patent based on instructions received from the entity who first sent the application papers to the attorneys identified below, unless the inventor(s) or assignee provides said attorneys with a written notice to the contrary:

Terrell C. Birch	(Reg. No. 19,982)
Joseph A. Kolasch	(Reg. No. 22,463)
Bernard L. Sweeney	(Reg. No. 24,448)
Charles Gorenstein	(Reg. No. 29,271)
Leonard R. Svensson	(Reg. No. 30,330)
Andrew D. Meikle	(Reg. No. 32,866)
Joe McKinney Muncy	(Reg. No. 32,934)
C. Joseph Faraci	(Reg. No. 32,950)

Raymond C. Stewart	(Reg. No. 21,166)
James M. Slattery	(Reg. No. 28,380)
Michael K. Mutter	(Reg. No. 29,680)
Gerald M. Murphy, Jr.	(Reg. No. 28,977)
Terry L. Clark	(Reg. No. 32,644)
Marc S. Weiner	(Reg. No. 32,181)
Donald J. Daley	(Reg. No. 34,313)

Send Correspondence to

BIRCH, STEWART, KOLASCH & BIRCH, LLP

P.O. Box 747 • Falls Church, Virginia 22040-0747

Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

PLEASE NOTE:
YOU MUST
COMPLETE THE
FOLLOWING:

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE	DATE
KAZUC HOSHI		Kazuo Hoshi	2000.4.10
Residence (City, State & Country) Tokyo, Japan		CITIZENSHIP Republic of Japan	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country) IGS Electronics Inc. Tokyo R&D Ltd. Taishin Orient Build 2-30-10 Taishin, Taikou-ku, Tokyo, 110-0016, Japan			
GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE	DATE
Residence (City, State & Country)		CITIZENSHIP	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country)			

Page 2 of 2
(USPTO Approved 3-80)

DATE OF SIGNATURE _____